Revision: 04/15/2025 Supersedes Revision: 08/01/2025

Supersedes Revision: 08/01/2025

1. Product and Company Identification

Product Code: PhosphoRex01
Product Name: PHOSPHO-REX
Trade Name: Phospho-Rex

Company Name: Baseline Blends Phone Number:

1 (832) 418-6846

Kansas City, MO 64119

Web site address:www.baselineblends.comEmail address:baselineblends@gmail.com

Emergency Contact: CHEMTREC, In the US and Canada call 1 (800) 424-9300

CHEMTREC, From other countries call +1(703) 527-3887

Information: 1 (800) 539-5283

Intended Use: For agricultural use only

2. Hazards Identification

Eye Irritation, Category 2B Skin Irritation, Category 2



GHS Signal Word: Warning

GHS Hazard Phrases: H315 - Causes skin irritation. H320 - Causes eye irritation.

GHS Precautionary Phrases: P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment see ... on this label.

P332+313 - If skin irritation occurs, get medical advice/attention.
P337+313 - If eye irritation persists, get medical advice/attention.
P362+364 - Take off contaminated clothing and wash it before reuse.

GHS Storage and Disposal

Phrases:

No phrases apply.

Potential Health Effects

chronic: Expected toxicity hazard: slight Not known. Expected toxicity hazard: slight to

(Acute and Chronic): moderate.

Inhalation: Prolonged exposure to vapors may cause sore throat and irritation of respiratory tract.

Skin Contact: May be harmful if absorbed through the skin.

Eye Contact: Contact with product may cause mild to severe irritation, blurred vision.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

Revision: 04/15/2025 Supersedes Revision: 08/01/2025

3. Composition/Information on Ingredients				
CAS#	Components (Chemical Name)	Concentration	RTECS#	
1310-58-3	Potassium hydroxide	< 3.0 %	TT2100000	
57-13-6	Urea	< 5.0 %	YR6250000	
7631-95-0	Sodium molybdate(VI)	< 5.0 %	QA5075000	
2223656-17-3	Cobalt EAHP	<20.0 %	NA	

4. First Aid Measures

Emergency and First Aid

Procedures:

Victims of severe exposure to chemicals must be taken to health providing centers for medical attention. If necessary, also rescuers must be attended. Always bring with victim

a copy of label and SDS of product to health professional.

In Case of Inhalation: Remove victim from exposure to fresh air. If not breathing, give artificial respiration,

preferably mouth to mouth. Get medical attention.

In Case of Skin Contact: Immediately wash affected area with abundant soap and water. Remove contaminated

clothing, taking care not to impregnate eyes. Seek medical attention if irritation occurs.

In Case of Eye Contact: Hold eyelids apart and immediately flush eyes with plenty of water for at least 15

minutes. Call a physician if irritation persists.

In Case of Ingestion: Immediately contact a physician or poison control center for treatment advice. Victim

should drink milk, egg whites or large quantities of water and be induced to vomiting. Never give anything by mouth to someone who is unconscious, having convulsions or

unable to swallow.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: N.A.

Explosive Limits: LEL: N.A. UEL: N.A.

Autoignition Pt: N.A.

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or chemical foam. Use extinguishing

measures that are appropriate to local circumstances and the surrounding environment.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and

Hazards:

During a fire, irritating and highly toxic gases may be generated by thermal

decomposition or combustion.

Hazardous Combustion

Products:

No data available.

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures: In case of a large spill, protect people by clearing and isolating the affected area. Such releases should be responded to by trained personnel using pre-planned procedures. In the event of an incidental release, minimum Personal Protective Equipment must be worn: latex or rubber gloves and boots, goggles or full face-shield and coveralls or long-sleeved shirt and pants.

Environmental Precautions:

Do not allow to enter drains or waterways.

Steps To Be Taken In Case Material Is Released Or Spilled: It is necessary to contain the spill into the smallest area possible by diking, scooping, shoveling, etc., and recover liquid into an appropriate container for salvage or later use, labeling it accordingly. If product is clean, use it as intended, following original label directions; should it get contaminated, salvage for proper disposal as waste.

Absorb residual product onto dry carrier such as dirt, sand or any other absorbent material, then put in covered, labeled containers and dispose of as dry waste in

Licensed to Baseline Blends USA

GHS format

Revision: 04/15/2025 Supersedes Revision: 08/01/2025

accordance with Federal, State and Local waste disposal regulations.

7. Handling and Storage

Precautions To Be Taken in

Handling:

Use with adequate ventilation. Avoid breathing dust, mist, or vapor. Avoid contact with eyes, skin, or clothing. Avoid ingestion and inhalation. Use only in a well-ventilated area. Empty containers may contain residual liquid or vapors and therefore should be handled the same as full containers. Product must be kept in its original container, if repackaging for any reason, use vented caps.

Precautions To Be Taken in Storing:

We recommend storing pails a maximum of three pails high. Do not stack pallets. Store container tightly closed in a cool/well-ventilated dry place protected from sunlight above 40 F. Do not allow container to freeze. Store locked up. Inspect all incoming containers before storage to ensure all are properly labeled and not damaged. Store in a cool, dry place, away from direct sunlight, sources of intense heat or where freezing is possible. Store away from food, feed, clothing materials and living quarters. Keep away from reach of children and pets. Whenever possible, place chemicals on secondary containers or diked area. Keep containers tightly closed when not in use.

Other Precautions:

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty

container.

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1310-58-3	Potassium hydroxide	No data.	No data.	No data.
57-13-6	Urea	No data.	No data.	No data.
7631-95-0	Sodium molybdate(VI)	No data.	No data.	No data.
2223656-17-3	Cobalt EAHP	No data.	No data.	No data.

Recommended Exposure

Limits:

No occupational exposure limits have been established for this mixture.

Respiratory Equipment (Specify Type):

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. If the respirator is the sole means of protection, use a full-face supplied air respirator.

Eye Protection:

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Protective Gloves:

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good

laboratory practices. Wash and dry hands.

Waterproof gloves required for this product.

This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers.

Other Protective Clothing:

Wear long sleeve shirt and long pants, waterproof gloves and shoes plus socks. Keep

and wash PPE separately from other laundry.

Engineering Controls (Ventilation etc.):

General ventilation is usually adequate. An eye bath and washing facilities should be readily available. General ventilation is usually adequate. Local exhaust should be used

if needed for safe, comfortable working conditions.

Work/Hygienic/Maintenance Practices:

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove all dirty or contaminated clothing and wash it before reusing, as well

Licensed to Baseline Blends USA

GHS format

Revision: 04/15/2025 Supersedes Revision: 08/01/2025

Supersedes Revision: 08/01/202

as any other PPE.

Environmental Exposure

Controls:

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment wash water.

9. Phy	/sical	and C	hemi	cal P	ro	pert	ies
--------	--------	-------	------	-------	----	------	-----

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Red.

Liquid.

pH: 5.0 - 7.0 **Melting Point:** N.E.

Boiling Point: N.E.
Flash Pt: N.A.
Evaporation Rate: N.E.

Flammability (solid, gas): Non-flammable.

Explosive Limits: LEL: N.A. UEL: N.A.

N.E.

N.E.

Vapor Pressure (vs. Air or

mm Hg):

Vapor Density (vs. Air = 1): N.E.

Specific Gravity (Water = 1.18 - 1.22

1):

Density: ~ 10.0 LB/GA

Solubility in Water: Soluble
Saturated Vapor N.E.

Concentration:

Octanol/Water Partition

Coefficient:

Autoignition Pt: N.A.

Decomposition N.E.

Temperature:

Viscosity: N.E.

Explosive Properties: Not an explosion hazard.

Oxidizing Properties: Not an oxidizer.

Information with regard to primary physical hazard:

10. Stability and Reactivity

Reactivity: N.A.

Stability: Unstable [] Stable [X]

Conditions To Avoid - High heat. Mixture with incompatible materials.

Instability:

Incompatibility - Materials To No data available.

Avoid:

Hazardous Decomposition or Ammonia gas.

Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Licensed to Baseline Blends USA GHS format

Revision: 04/15/2025 Supersedes Revision: 08/01/2025

Conditions To Avoid -Hazardous Reactions:

None known.

11. Toxicological Information

Toxicological Information: Mutagenicity: The components of this product are not reported to produce mutagenic

effects in humans. However, they are being investigated as mutagenic agents.

Embryotoxicity: The components of this product are not reported to produce embryotoxic

effects in humans.

Teratogenicity: The components of this product are not reported to produce teratogenic

effects in humans.

Reproductive Toxicity: The components of this product are not reported to produce toxic reproductive effects in humans. However, urea is being investigated as a reproductive

effector.

Sensitization:

Carcinogenicity/Other

Information:

The sensitizing properties of this product have not been thoroughly investigated. The carcinogenic properties of this product have not been thoroughly investigated.

CAS# 10026-24-1: ACGIH: A3 - Confirmed animal carcinogen with unknown relevance

to humans.

California: carcinogen, initial date 6/2/00.

NTP? No Carcinogenicity: IARC Monographs? No OSHA Regulated? No

12. Ecological Information

General Ecological Information:

The available data on this material does not indicate any undue hazard to the environment under anticipated use and storage. All work practices must be aimed at eliminating environmental contamination. Any waste due to spillage or leakage should be contained and disposed of accordingly, see above under Section 6 "Accidental Release Measures."

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.

This product contains molybdenum; it is to be used only on crops that respond to molybdenum. Crops high in molybdenum are toxic to grazing animals (ruminants).

Results of PBT and vPvB

assessment:

No data available.

Persistence and Degradability:

No data available.

No data available.

Bioaccumulative Potential: Mobility in Soil: No data available.

13. Disposal Considerations

Waste Disposal Method:

This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local waste regulatory authority. Avoid contaminating water by disposal of equipment wash waters or other product wastes.

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

Revision: 04/15/2025 Supersedes Revision: 08/01/2025

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated. Trade Name: BORON-LOCK

DOT Hazard Class: UN/NA Number:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated. Trade Name: BORON-LOCK
UN Number: Packing Group:

Hazard Class:

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated. Trade Name: BORON-LOCK UN Number: Packing Group:

Hazard Class:

Additional Transport

Reportable Quantity: N.A.

Information:

Placards / Markings: N.A.

Emergency Response Guide Number: N.A.

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1310-58-3	Potassium hydroxide	No	Yes NA	No
57-13-6	Urea	No	No	No
7631-95-0	Sodium molybdate(VI)	No	No	No
2223656-17-3	Cobalt EAHP	No	No	No

Regulatory Information: TSCA Inventory: In compliance with inventory requirements for commercial purposes.

16. Other Information

Revision Date: 07/14/2022 **Previous revision**: 07/06/2022

Hazard Rating System:

Flammability Instability
Health
NFPA: Special Hazard

Additional Information About This Product: No data available.

Company Policy or Disclaimer:

Baseline Blends believes the information contained in this Safety Data Sheet is accurate based on the information provided by reputable suppliers of our raw materials. However, Baseline Blends does not guarantee their accuracy or completeness. The information contained herein is furnished without warranty of any kind, whether expressed or implied, as to the safety of the goods, the merchantability of the goods, or the fitness of the goods for any particular purpose. Users should consider these data only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers. Baseline Blends assumes no responsibility for results obtained or for incidental or consequential damages arising from the use of goods and data.

Page: 7 of 8

SAFETY DATA SHEET Phospho-Rex

Revision: 04/15/2025
Supersedes Revision: 08/01/2025

Page: 8 of 8

SAFETY DATA SHEET Phospho-Rex

Revision: 04/15/2025

	Supersedes Revision: 08/01/2025
Licensed to Baseline Blends USA	GHS forma