

SAFETY DATA SHEET

ZINC-MET 10%

Page: 1 of 6

Created: 09/16/2025

1. Product and Company Identification

Product Code: M-ZINC METRIC 10%

Product Name: ZINC METRIC 10%

Company Name: Baseline Blends
6132 N Chelsea Ave
Kansas City, MO 64119

Phone Number:
1 (832)418-6846

Web site address: www.baselineblends.com

Email address: baselineblends@google.com

Emergency Contact: CHEMTREC, In the US and Canada call 1 (800)424-9300
CHEMTREC, From other countries call +1 (703)527-3887

Information: 1 (800)539-5283

Intended Use: For agricultural use only

2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 2A

Acute Toxicity: Inhalation, Category 4

Acute Toxicity: Oral, Category 4



GHS Signal Word: Warning

GHS Hazard Phrases: EUH014 - Keep out of reach of children; may be harmful if swallowed, inhaled or in contact with skin; may cause eye irritation. May cause damage through prolonged exposure.

GHS Precautionary Phrases: P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 - Wash hands thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
P330 - Rinse mouth.
P337+313 - If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal Phrases: P501 - Dispose of contents/container to permitted waste facility or as advised by your local regulatory authority.

Potential Health Effects (Acute and Chronic): Chronic: Not known. Expected toxicity hazard: slight to moderate.

Inhalation: Prolonged exposure to vapors may cause sore throat and irritation of respiratory tract.

Skin Contact: May be harmful if absorbed through the skin.

Eye Contact: Contact with product may cause mild to severe irritation, blurred vision.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

SAFETY DATA SHEET

ZINC-MET 10%

Page: 2 of 6

Created: 09/16/2025

3. Composition/Information on Ingredients

CAS #	Components (Chemical Name)	Concentration	RTECS #
1314-13-2	Zinc Oxide	<15.0 %	DS5900000
17863-38-6	EAHP	<45.0 %	YR6250000
10101-97-0	Nickel Sulfate Hexahydrate	< 2.0 %	TY20000000
25608-40-6	Carpramid 47.5%	< 2.0 %	TW3584000

4. First Aid Measures

Emergency and First Aid Procedures:	Victims of severe exposure to chemicals must be taken to health providing centers for medical attention. If necessary, also rescuers must be attended. Always bring with victim a copy of label and SDS of product to health professional.
In Case of Inhalation:	Remove victim from exposure to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.
In Case of Skin Contact:	Immediately wash affected area with abundant soap and water. Remove contaminated clothing, taking care not to impregnate eyes. Seek medical attention if irritation occurs.
In Case of Eye Contact:	Hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Call a physician if irritation persists.
In Case of Ingestion:	Immediately contact a physician or poison control center for treatment advice. Victim should drink milk, egg whites or large quantities of water and be induced to vomiting. Never give anything by mouth to someone who is unconscious, having convulsions or unable to swallow.
Note to Physician:	Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt:	N.A.
Explosive Limits:	LEL: N.A. UEL: N.A.
Autoignition Pt:	N.A.
Suitable Extinguishing Media:	Use water spray, dry chemical, carbon dioxide, or chemical foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.
Flammable Properties and Hazards:	During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.
Hazardous Combustion Products:	Toxic fumes may be generated at elevated temperatures.

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures:	In case of a large spill, protect people by clearing and isolating the affected area. Such releases should be responded to by trained personnel using pre-planned procedures. In the event of an incidental release, minimum Personal Protective Equipment must be worn: latex or rubber gloves and boots, goggles or full face-shield and coveralls or long-sleeved shirt and pants.
Environmental Precautions:	Do not allow to enter drains or waterways.
Steps To Be Taken In Case Material Is Released Or Spilled:	It is necessary to contain the spill into the smallest area possible by diking, scooping, shoveling, etc., and recover liquid into an appropriate container for salvage or later use, labeling it accordingly. If product is clean, use it as intended, following original label directions; should it get contaminated, salvage for proper disposal as waste. Absorb residual product onto dry carrier such as dirt, sand or any other absorbent material, then put in covered, labeled containers and dispose of as dry waste in

SAFETY DATA SHEET

ZINC-MET 10%

Page: 3 of 6

Created: 09/16/2025

accordance with Federal, State and Local waste disposal regulations.

7. Handling and Storage

Precautions To Be Taken in Handling:	Use with adequate ventilation. Avoid breathing dust, mist, or vapor. Avoid contact with eyes, skin, or clothing. Avoid ingestion and inhalation. Use only in a well-ventilated area. Empty containers may contain residual liquid or vapors and therefore should be handled the same as full containers. Product must be kept in its original container, if repackaging for any reason, use vented caps.
Precautions To Be Taken in Storing:	We recommend storing pails a maximum of three pails high. Do not stack pallets. Store container tightly closed in a cool/well-ventilated dry place protected from sunlight above 40 F. Do not allow container to freeze. Store locked up. Inspect all incoming containers before storage to ensure all are properly labeled and not damaged. Keep containers tightly closed when not in use.
Other Precautions:	Do not contaminate water when disposing of equipment wash water. Do not reuse empty container.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1314-13-2	Zinc Oxide	No data.	No data.	No data.
17863-38-6	EAHP	No data.	No data.	No data.
10101-97-0	Nickel Sulphate Hexahydrate	No data.	CEIL: 2 mg/m3	No data.
25608-40-6	Carpramid 47.5%	No data.	No data.	No data.

Recommended Exposure Limits:	No occupational exposure limits have been established for this mixture.
Respiratory Equipment (Specify Type):	A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. If the respirator is the sole means of protection, use a full-face supplied air respirator.
Eye Protection:	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Protective Gloves:	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Waterproof gloves required for this product. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers.
Other Protective Clothing:	Wear long sleeve shirt and long pants, waterproof gloves and shoes plus socks. Keep and wash PPE separately from other laundry.
Engineering Controls (Ventilation etc.):	General ventilation is usually adequate. Local exhaust could be used for safer, comfortable working conditions. An eye bath and washing facilities should be readily available.
Work/Hygienic/Maintenance Practices:	Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove all dirty or contaminated clothing and wash it before reusing, as well as any other PPE.
Environmental Exposure	Do not apply directly to water, to areas where surface water is present, or to intertidal

SAFETY DATA SHEET

ZINC-MET 10%

Page: 4 of 6

Created: 09/16/2025

Controls: areas below the mean high-water mark. Do not contaminate water when disposing of equipment wash water.

9. Physical and Chemical Properties

Physical States: ☐ Gas ☒ Liquid ☐ Solid
Appearance and Odor: Red. Clear liquid.
pH: 4.4 - 6.4
Freezing Point: N.E.
Boiling Point: N.E.
Flash Pt: N.A.
Evaporation Rate: N.E.
Flammability (solid, gas): Non-flammable.
Explosive Limits: LEL: N.A. UEL: N.A.
Vapor Pressure (vs. Air or mm Hg): N.E.
Vapor Density (vs. Air = 1): N.E.
Specific Gravity (Water = 1): 1.24 - 1.28
Density: ~ 10.5 LB/GA
Solubility in Water: Soluble
Saturated Vapor Concentration: N.E.
Octanol/Water Partition Coefficient: N.E.
Autoignition Pt: N.A.
Decomposition Temperature: N.E.
Viscosity: N.E.

10. Stability and Reactivity

Reactivity: N.A.
Stability: Unstable ☐ Stable ☒
Conditions To Avoid - Instability: High heat. Mixture with incompatible materials.
Incompatibility - Materials To Avoid: No data available.
Hazardous Decomposition or Byproducts: Ammonia gas.
Possibility of Hazardous Reactions: Will occur ☐ Will not occur ☒
Conditions To Avoid - Hazardous Reactions: None known.

11. Toxicological Information

Toxicological Information:	Mutagenicity: The components of this product are not reported to produce mutagenic effects in humans. However, they are being investigated as mutagenic agents. Embryotoxicity: The components of this product are not reported to produce embryotoxic effects in humans. Teratogenicity: The components of this product are not reported to produce teratogenic effects in humans. Reproductive Toxicity: The components of this product are not reported to produce toxic reproductive effects in humans. However, urea is being investigated as a reproductive effector.
	CAS# 1310-58-3: Acute toxicity, LD50, Oral, Rat, 273.0 MG/KG. Result: Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Lungs, Thorax, or Respiration: Tumors. Liver: Tumors. ; Fundamental and Applied Toxicology., Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr: 8,97, 1987
Sensitization:	The sensitizing properties of this product have not been thoroughly investigated.
Carcinogenicity/Other Information:	The carcinogenic properties of this product have not been thoroughly investigated.
Carcinogenicity:	NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

General Ecological Information:	The available data on this material does not indicate any undue hazard to the environment under anticipated use and storage. All work practices must be aimed at eliminating environmental contamination. Any waste due to spillage or leakage should be contained and disposed of accordingly, see above under Section 6 "Accidental Release Measures." This product contains molybdenum; it is to be used only on crops that respond to molybdenum. Crops high in molybdenum are toxic to grazing animals (ruminants). Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.
Results of PBT and vPvB assessment:	No data available.
Persistence and Degradability:	No data available.
Bioaccumulative Potential:	No data available.
Mobility in Soil:	No data available.

13. Disposal Considerations

Waste Disposal Method:	This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local waste regulatory authority. Avoid contaminating water by disposal of equipment wash waters or other product wastes. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.
-------------------------------	---

14. Transport Information

SAFETY DATA SHEET

ZINC-MET 10%

Page: 6 of 6

Created: 09/16/2025

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated. Trade Name: BIO-HOLD

DOT Hazard Class:

UN/NA Number:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated. Trade Name: BIO-HOLD

UN Number:

Packing Group:

Hazard Class:

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated. Trade Name: BIO-HOLD

UN Number:

Packing Group:

Hazard Class:

Additional Transport
Information:

Reportable Quantity: N.A.

Placards / Markings: N.A.

Emergency Response Guide Number: N.A.

15. Regulatory Information

Regulatory Information:


TSCA Inventory: In compliance with inventory requirements for commercial purposes.

16. Other Information

Revision Date:

04/24/2020

Hazard Rating System:



Additional Information About This Product: No data available.

This Product:

Company Policy or

Disclaimer:

Baseline Blends: The information contained in this SDS is accurate based on the information provided by reputable suppliers of our raw materials. However, Stoller does not guarantee their accuracy or completeness. The information contained herein is furnished without warranty of any kind, whether expressed or implied, as to the safety of the goods, the merchantability of the goods, or the fitness of the goods for any particular purpose. Users should consider these data only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers. Stoller assumes no responsibility for results obtained or for incidental or consequential damages arising from the use of goods and data.